AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously presented) A compound of formula (I)



or a salt or ester thereof;

where:

X is O or NR^6;

R^6 is hydrogen or C_{1-4}alkyl;

R^1 is hydrogen, halo, or $–X^1R^{11}$;

X^1 is a direct bond, $-CH_2=CH_2-$, -O-, -NH-, $–N(C_{1-6}alkyl)-$, -C(O)-, -C(O)O-, -OC(O)-, -NHC(O)-, $-N(C_{1-6}alkyl)C(O)-$, -C(O)NH- or $-C(O)N(C_{1-6}alkyl)-$;

R^{11} is hydrogen, or a group selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkenyl, heterocyclyl, heterocyclylC_{1-4}alkyl, heterocyclylC_{2-4}alkenyl and heterocyclylC_{2-4}alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from halo, hydroxy, C_{1-4}alkoxy, hydroxyC_{1-4}alkyl, $–NR^9R^{10}$, $-C(O)R^9$, $-C(O)NR^9R^{10}$ and $-C(O)OR^9$;

R^2 is hydrogen, halo, nitro, cyano or $–X^2R^{12}$;

X^2 is a direct bond, -O-, -NH-, $–N(C_{1-6}alkyl)-$, -OC(O)- or –C(O)O-;

R^{12} is hydrogen, or a group selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkenyl, aryl, arylC_{1-4}alkyl, arylC_{2-4}alkenyl, arylC_{2-4}alkynyl, heterocyclyl, heterocyclylC_{1-4}alkyl, heterocyclylC_{2-4}alkenyl and heterocyclylC_{2-4}alkynyl,

which group is optionally substituted by 1, 2 or 3 substituents selected from halo, hydroxy, C_{1-4}alkyl, C_{1-4}alkoxy, $-NR^{15}R^{16}$, $-NHC(O)NR^{15}R^{16}$, $-C(O)R^{15}$ and $-C(O)OR^{15}$;

R^3 is hydrogen, halo or $-X^3R^{13}$;

X^3 is a direct bond, $-CH_2=CH_2-$, -O-, -NH-, $-N(C_{1-6}alkyl)-$, -C(O)-, -C(O)O-, -OC(O)-, $-NHC(O)-$, $-N(C_{1-6}alkyl)C(O)-$, -C(O)NH- or $-C(O)N(C_{1-6}alkyl)-$;

R^{13} is hydrogen or a group selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkenyl, aryl, arylC_{1-4}alkyl, arylC_{2-4}alkenyl, arylC_{2-4}alkynyl, heterocyclyl, heterocyclylC_{1-4}alkyl, heterocyclylC_{2-4}alkenyl and heterocyclylC_{2-4}alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from $-NR^7R^8$, $-C(O)NR^7R^8$, halo, hydroxy, C_{1-4}alkyl, C_{1-4}alkoxy, hydroxyC_{1-4}alkyl, hydroxyC_{1-4}alkylcarbonyl, C_{1-4}alkylcarbonyl, aminoC_{1-4}alkylcarbonyl, C_{1-4}alkylaminoC_{1-4}alkylcarbonyl and bis(C_{1-4}alkyl)aminoC_{1-4}alkylcarbonyl;

R^7 and **R^8** are independently selected from hydrogen, heterocyclyl, heterocyclylC_{1-4}alkyl, C_{1-4}alkylheterocyclylC_{1-4}alkyl, C_{1-6}alkyl, hydroxyC_{1-6}alkyl, C_{1-4}alkoxyC_{1-6}alkyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkylC_{1-4}alkyl, hydroxyC_{3-6}cycloalkyl, hydroxyC_{1-4}alkylC_{3-6}cycloalkyl, hydroxyC_{3-6}cycloalkylC_{1-4}alkyl, hydroxyC_{1-4}alkylC_{3-6}cycloalkylC_{1-4}alkyl, C_{1-4}alkoxyC_{3-6}cycloalkyl, C_{1-4}alkoxyC_{3-6}cycloalkylC_{1-4}alkyl, haloC_{1-6}alkyl, haloC_{3-6}cycloalkyl, haloC_{3-6}cycloalkylC_{1-4}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, cyanoC_{1-4}alkyl, aminoC_{1-6}alkyl, C_{1-4}alkylaminoC_{1-6}alkyl, bis(C_{1-4}alkyl)aminoC_{1-6}alkyl, hydroxyC_{1-4}alkoxyC_{1-4}alkyl, hydroxyC_{1-4}alkylcarbonyl, C_{1-4}alkylcarbonyl, aminoC_{1-4}alkylcarbonyl, C_{1-4}alkylaminoC_{1-4}alkylcarbonyl and bis(C_{1-4}alkyl)aminoC_{1-4}alkylcarbonyl;

or **R^7** and **R^8** together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO_2, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C_{1-4}alkyl, hydroxy, C_{1-4}alkoxy, hydroxyC_{1-4}alkyl, C_{1-4}alkoxyC_{1-4}alkyl, hydroxyC_{1-4}alkoxyC_{1-4}alkyl, C_{1-4}alkoxyC_{1-4}alkoxy, hydroxyC_{1-4}alkylcarbonyl, C_{1-4}alkylcarbonyl, aminoC_{1-4}alkylcarbonyl, C_{1-4}alkylaminoC_{1-4}alkylcarbonyl and bis(C_{1-4}alkyl)aminoC_{1-4}alkylcarbonyl, and where a ring $-CH_2-$ is optionally replaced with -C(O)-;

R^4 is selected from hydrogen, halo or $-X^4R^{14}$;

X^4 is a direct bond, -O-, -NH- or $-N(C_{1-6}alkyl)-$;

R^{14} is selected from hydrogen, C_{1-6}alkyl, C_{2-6}alkenyl and C_{2-6}alkynyl;
R^{5} is aryl or heteroaryl optionally substituted by 1, 2 or 3 substituents independently selected from halo, hydroxy, cyano, nitro, amino, C_{1-4}alkylamino, bis(C_{1-4}alkyl)amino, C_{1-4}alkyl, C_{2-4}alkenyl, C_{2-4}alkynyl, C_{1-4}alkoxy, -CONHR^{17}, -NHCOR^{18} –SR^{17}, -S(O)R^{17} and -S(O)OR^{17};
R^{9}, R^{10}, R^{15} and **R^{16}** are independently selected from hydrogen, C_{1-6}alkyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkylC_{1-4}alkyl, hydroxyC_{1-6}alkyl, haloC_{1-6}alkyl, aminoC_{1-6}alkyl, C_{1-4}alkylaminoC_{1-6}alkyl and bis(C_{1-4}alkyl)aminoC_{1-6}alkyl;
or **R^{9}** and **R^{10}** together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO_2, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C_{1-4}alkyl, hydroxy, C_{1-4}alkoxy, hydroxyC_{1-4}alkyl, C_{1-4}alkoxyC_{1-4}alkyl, hydroxyC_{1-4}alkoxyC_{1-4}alkyl, C_{1-4}alkoxyC_{1-4}alkoxy, hydroxyC_{1-4}alkylcarbonyl, C_{1-4}alkylcarbonyl, aminoC_{1-4}alkylcarbonyl, C_{1-4}alkylaminoC_{1-4}alkylcarbonyl and bis(C_{1-4}alkyl)aminoC_{1-4}alkylcarbonyl, and where a ring –CH_2- is optionally replaced with –C(O)-;
R^{17} and **R^{18}** are independently selected from hydrogen, C_{1-4}alkyl, C_{3-6}cycloalkyl, C_{2-4}alkenyl and C_{2-4}alkynyl;
R^{19} is hydrogen, hydroxyC_{1-4}alkyl, -C(O)R^{20}, -C(O)OR^{20}, -CONR^{20}R^{21}, -NHC(O)R^{20} or -NHC(O)OR^{20};
R^{20} are **R^{21}** are independently selected from hydrogen, C_{1-4}alkyl and aryl.

2. (Previously presented) A compound of formula (IA)



or salt or ester thereof

where X, X^1, X^2, X^3, R^4, R^5 and R^{19} are as defined in relation to formula (I) and

$R^{1'}$ is hydrogen, halo, or $-X^1R^{11'}$;

$R^{11'}$ is hydrogen, phosphonooxy or a group selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkenyl, heterocyclyl, heterocyclylC_{1-4}alkyl, heterocyclylC_{2-4}alkenyl and heterocyclylC_{2-4}alkynyl which group is optionally substituted by a substituent selected from halo, hydroxy, phosphonooxy, C_{1-4}alkoxy, hydroxyC_{1-4}alkyl, phosphonooxyC_{1-4}alkyl, $-NR^{9'}R^{10'}$, $-C(O)R^{9'}$, $-C(O)NR^{9'}R^{10'}$ and $-C(O)OR^{9'}$;

$R^{2'}$ is hydrogen, halo, nitro, cyano or $-X^2R^{12'}$;

$R^{12'}$ is hydrogen, phosphonooxy or a group selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkenyl, aryl, arylC_{1-4}alkyl, arylC_{2-4}alkenyl, arylC_{2-4}alkynyl, heterocyclyl, heterocyclylC_{1-4}alkyl, heterocyclylC_{2-4}alkenyl and heterocyclylC_{2-4}alkynyl, which group is optionally substituted by 1, 2 or 3 substituents selected from halo, hydroxy, phosphonooxy, C_{1-4}alkyl, C_{1-4}alkoxy, $-NR^{15'}R^{16'}$, $-NHC(O)NR^{15'}R^{16'}$, $-C(O)R^{15'}$ and $-C(O)OR^{15'}$;

$R^{3'}$ is hydrogen, halo or $-X^3R^{13'}$;

$R^{13'}$ is hydrogen, phosphonooxy or a group selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkenyl, aryl, arylC_{1-4}alkyl, arylC_{2-4}alkenyl, arylC_{2-4}alkynyl, heterocyclyl, heterocyclylC_{1-4}alkyl, heterocyclylC_{2-4}alkenyl and heterocyclylC_{2-4}alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from $-NR^{7'}R^{8'}$, $-C(O)NR^{7'}R^{8'}$, halo, hydroxy, phosphonooxy, C_{1-4}alkyl, C_{1-4}alkoxy, hydroxyC_{1-4}alkyl, phosponooxyC_{1-4}alkyl, hydroxyC_{1-4}alkylcarbonyl, phosphonooxyC_{1-4}alkylcarbonyl, C_{1-4}alkylcarbonyl, aminoC_{1-4}alkylcarbonyl, C_{1-4}alkylaminoC_{1-4}alkylcarbonyl and bis(C_{1-4}alkyl)aminoC_{1-4}alkylcarbonyl;

$R^{7'}$ and **$R^{8'}$** are independently selected from hydrogen, heterocyclyl, heterocyclylC_{1-4}alkyl, C_{1-4}alkylheterocyclylC_{1-4}alkyl, C_{1-6}alkyl, hydroxyC_{1-6}alkyl, phosphonooxyC_{1-6}alkyl, C_{1-4}alkoxyC_{1-6}alkyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkylC_{1-4}alkyl, hydroxyC_{3-6}cycloalkyl, phosphonooxyC_{3-6}cycloalkyl, hydroxyC_{1-4}alkylC_{3-6}cycloalkyl, phosphonooxyC_{1-4}alkylC_{3-6}cycloalkyl, hydroxyC_{3-6}cycloalkylC_{1-4}alkyl, phosphonooxyC_{3-6}cycloalkylC_{1-4}alkyl, hydroxyC_{1-4}alkylC_{3-6}cycloalkylC_{1-4}alkyl, phosphonooxyC_{1-4}alkylC_{3-6}cycloalkylC_{1-4}alkyl, C_{1-4}alkoxyC_{3-6}cycloalkyl, C_{1-4}alkoxyC_{3-6}cycloalkylC_{1-4}alkyl, haloC_{1-6}alkyl, haloC_{3-6}cycloalkyl, haloC_{3-6}cycloalkylC_{1-4}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, cyanoC_{1-4}alkyl, aminoC_{1-6}alkyl,

C_{1-4}alkylaminoC_{1-6}alkyl, bis(C_{1-4}alkyl)aminoC_{1-6}alkyl, hydroxyC_{1-4}alkoxyC_{1-4}alkyl, phosphonooxyC_{1-4}alkoxyC_{1-4}alkyl, hydroxyC_{1-4}alkylcarbonyl, phosphonooxyC_{1-4}alkylcarbonyl, C_{1-4}alkylcarbonyl, aminoC_{1-4}alkylcarbonyl, C_{1-4}alkylaminoC_{1-4}alkylcarbonyl and bis(C_{1-4}alkyl)aminoC_{1-4}alkylcarbonyl;
or **$R^{7'}$** and **$R^{8'}$** together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO_2, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C_{1-4}alkyl, hydroxy, phosphonooxy, C_{1-4}alkoxy, hydroxyC_{1-4}alkyl, phosphonooxyC_{1-4}alkyl, C_{1-4}alkoxyC_{1-4}alkyl, hydroxyC_{1-4}alkoxyC_{1-4}alkyl, phosphonooxyC_{1-4}alkoxyC_{1-4}alkyl, C_{1-4}alkoxyC_{1-4}alkoxy, hydroxyC_{1-4}alkylcarbonyl, phosphonooxyC_{1-4}alkylcarbonyl, C_{1-4}alkylcarbonyl, aminoC_{1-4}alkylcarbonyl, C_{1-4}alkylaminoC_{1-4}alkylcarbonyl and bis(C_{1-4}alkyl)aminoC_{1-4}alkylcarbonyl, and where a ring $-CH_2-$ is optionally replaced with -C(O)-;
$R^{9'}$, $R^{10'}$, $R^{15'}$ and **$R^{16'}$** are independently selected from hydrogen, C_{1-6}alkyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkylC_{1-3}alkyl, hydroxyC_{1-6}alkyl, phosphonooxyC_{1-6}alkyl, haloC_{1-6}alkyl, aminoC_{1-6}alkyl, C_{1-6}alkylaminoC_{1-6}alkyl and bis(C_{1-6}alkyl)aminoC_{1-6}alkyl;
or **$R^{9'}$** and **$R^{10'}$** together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO_2, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C_{1-4}alkyl, hydroxy, phosphonooxy, C_{1-4}alkoxy, hydroxyC_{1-4}alkyl, phosphonooxyC_{1-4}alkyl, C_{1-4}alkoxyC_{1-4}alkyl, hydroxyC_{1-4}alkoxyC_{1-4}alkyl, phosphonooxyC_{1-4}alkoxyC_{1-4}alkyl, C_{1-4}alkoxyC_{1-4}alkoxy, hydroxyC_{1-4}alkylcarbonyl, phosphonooxyC_{1-4}alkylcarbonyl, C_{1-4}alkylcarbonyl, aminoC_{1-4}alkylcarbonyl, C_{1-4}alkylaminoC_{1-4}alkylcarbonyl and bis(C_{1-4}alkyl)aminoC_{1-4}alkylcarbonyl, and where a ring $-CH_2-$ is optionally replaced with -C(O)-;
provided that a compound of formula (IA) contains at least one phosphonooxy group.

3. (Previously presented) A compound or a salt or ester thereof according to claim 2 containing only one phosphonooxy group.

4. (Previously presented) A compound or a salt or ester thereof according to claim 1 wherein R^1 is hydrogen, halo or $-OR^{11}$ and R^{11} is hydrogen or a group selected from C_{1-6}alkyl, heterocyclyl and heterocyclylC_{1-4}alkyl, which group is optionally substituted by a substituent selected from hydroxy, C_{1-4}alkoxy, hydroxyC_{1-4}alkyl, hydroxyC_{1-4}alkylcarbonyl, aminoC_{1-4}alkylcarbonyl, C_{1-4}alkylaminoC_{1-4}alkylcarbonyl and bis(C_{1-4}alkyl)aminoC_{1-4}alkylcarbonyl.

5. (Previously presented) A compound or a salt or ester thereof according to claim 1 wherein R^2 is hydrogen, halo, $-OR^{12}$ or $-OC(O)R^{12}$ and R^{12} is hydrogen or a group selected from C_{1-4}alkyl, aryl, heterocyclyl and heterocyclylC_{1-4}alkyl which group is optionally substituted by a substituent selected from C_{1-4}alkyl and C_{1-4}alkoxy.

6. (Previously presented) A compound or a salt or ester thereof according to claim 1 wherein R^3 is hydrogen or $-X^3R^{13}$ and R^{13} is hydrogen, methyl, ethyl, propyl, heterocyclyl, heterocyclylmethyl, heterocyclylethyl or heterocyclylpropyl which methyl, ethyl or propyl are optionally substituted by $-NR^7R^8$, $-C(O)NR^7R^8$ or 1 or 2 halo, hydroxy or C_{1-4}alkoxy substituents and which heterocyclylmethyl, heterocyclylethyl or heterocyclylpropyl are optionally substituted on heterocyclyl by hydroxy, C_{1-4}alkyl, hydroxyC_{1-4}alkyl or hydroxyC_{1-4}alkylcarbonyl.

7. (Previously presented) A compound or a salt or ester thereof according to claim 6 wherein R^7 and R^8 are independently selected from hydrogen, heterocyclyl, heterocyclylC_{1-4}alkyl, C_{1-4}alkylheterocyclylC_{1-4}alkyl, C_{1-6}alkyl, hydroxyC_{1-6}alkyl, C_{1-4}alkoxyC_{1-4}alkyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkylC_{1-4}alkyl, hydroxyC_{3-6}cycloalkyl, hydroxyC_{1-4}alkylC_{3-6}cycloalkyl, haloC_{1-6}alkyl, C_{2-4}alkenyl, C_{2-4}alkynyl, cyanoC_{1-4}alkyl, aminoC_{1-4}alkyl, C_{1-4}alkylaminoC_{1-4}alkyl, bis(C_{1-4}alkyl)aminoC_{1-4}alkyl, hydroxyC_{1-4}alkoxyC_{1-4}alkyl and hydroxyC_{1-4}alkylcarbonyl; or R^7 and R^8 together with the nitrogen to which they are attached form a heterocyclic ring selected from azetidine, pyrrolidine, piperidine, morpholine, piperazine, diazepane, 1,4-diazepane and azabicyclo[3.1.0]hexane which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C_{1-4}alkyl, hydroxy, hydroxyC_{1-4}alkyl, C_{1-4}alkoxyC_{1-4}alkyl, hydroxyC_{1-4}alkoxyC_{1-4}alkyl, C_{1-4}alkylcarbonyl and hydroxyC_{1-4}alkylcarbonyl, and where a ring $-CH_2-$ is optionally replaced with –C(O)-.

8. (Previously presented) A compound or a salt or ester thereof according to claim 2 wherein $R^{1'}$ is hydrogen, halo or $-OR^{11'}$ and $R^{11'}$ is hydrogen, phosphonooxy or a group selected from C_{1-6}alkyl, heterocyclyl and heterocyclylC_{1-4}alkyl, which group is optionally substituted by a substituent selected from hydroxy, phosphonooxy, C_{1-4}alkoxy, hydroxyC_{1-4}alkyl, phosphonooxyC_{1-4}alkyl, hydroxyC_{1-4}alkylcarbonyl, phosphonooxyC_{1-4}alkylcarbonyl, aminoC_{1-4}alkylcarbonyl, C_{1-4}alkylaminoC_{1-4}alkylcarbonyl and bis(C_{1-4}alkyl)aminoC_{1-4}alkylcarbonyl.

9. (Previously presented) A compound or a salt or ester thereof according to claim 2 wherein $R^{2'}$ is hydrogen, halo, $-OR^{12'}$ or $-OC(O)R^{12'}$ and $R^{12'}$ is hydrogen, phosphonooxy or a group selected from C_{1-4}alkyl, aryl, heterocyclyl and heterocyclylC_{1-4}alkyl which group is optionally substituted by a substituent selected from C_{1-4}alkyl and C_{1-4}alkoxy.

10. (Previously presented) A compound or a salt or ester thereof according to claim 2 wherein $R^{3'}$ is hydrogen, phosphonooxy or $-X^3R^{13'}$ and $R^{13'}$ is hydrogen or a group selected from C_{1-6}alkyl, aryl, arylC_{1-4}alkyl, heterocyclyl and heterocyclylC_{1-4}alkyl, which group is optionally substituted by 1 or 2 substituents independently selected from $-NR^{7'}R^{8'}$, $-C(O)NR^{7'}R^{8'}$, halo, hydroxy, phosphonooxy, C_{1-4}alkyl, C_{1-4}alkoxy, hydroxyC_{1-4}alkyl, phosphonooxyC_{1-4}alkyl, hydroxyC_{1-4}alkylcarbonyl, phosphonooxyC_{1-4}alkylcarbonyl and C_{1-4}alkylcarbonyl.

11. (Previously presented) A compound or a salt or ester thereof according to claim 10 wherein $R^{7'}$ and $R^{8'}$ are independently selected from hydrogen, heterocyclyl, heterocyclylC_{1-4}alkyl, C_{1-4}alkylheterocyclylC_{1-4}alkyl, C_{1-6}alkyl, hydroxyC_{1-6}alkyl, phosphonooxyC_{1-6}alkyl, C_{1-4}alkoxyC_{1-4}alkyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkylC_{1-4}alkyl, hydroxyC_{3-6}cycloalkyl, phosphonooxyC_{3-6}cycloalkyl, hydroxyC_{1-4}alkylC_{3-6}cycloalkyl, phosphonooxyC_{1-4}alkylC_{3-6}cycloalkyl, haloC_{1-6}alkyl, C_{2-4}alkenyl, C_{2-4}alkynyl, cyanoC_{1-4}alkyl, aminoC_{1-4}alkyl, bis(C_{1-4}alkyl)aminoC_{1-4}alkyl, hydroxyC_{1-4}alkoxyC_{1-4}alkyl, phosphonooxyC_{1-4}alkoxyC_{1-4}alkyl, hydroxyC_{1-4}alkylcarbonyl and phosphonooxyC_{1-4}alkylcarbonyl; or $R^{7'}$ and $R^{8'}$ together with the nitrogen to which they are attached form a heterocyclic ring selected from azetidine, pyrrolidine, piperidine, morpholine, piperazine, diazepane, 1,4-diazepane and azabicyclo[3.1.0]hexane which

ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C_{1-4}alkyl, hydroxy, phosphonooxy, hydroxyC_{1-4}alkyl, phosphonooxyC_{1-4}alkyl, C_{1-4}alkoxyC_{1-4}alkyl, hydroxyC_{1-4}alkoxyC_{1-4}alkyl, phosphonooxyC_{1-4}alkoxyC_{1-4}alkyl, C_{1-4}alkylcarbonyl, hydroxyC_{1-4}alkylcarbonyl and phosphonooxyC_{1-4}alkylcarbonyl, and where a ring $-CH_2-$ is optionally replaced with –C(O)-.

12. (Previously presented) A compound or a salt or ester thereof according to claim 1 wherein X is NH.

13. (Previously presented) A compound or a salt or ester thereof according to claim 1 wherein R^4 is hydrogen.

14. (Previously presented) A compound or a salt or ester thereof according to claim 1 wherein R^5 is aryl optionally substituted by 1 or 2 halo.

15. (Previously presented) A compound or a salt or ester thereof according to claim 1 wherein R^{19} is hydrogen, hydroxycarbonyl, ethoxycarbonyl, aminocarbonyl and acetylamino.

16. (Previously presented) A compound of formula (I) selected from:
2-(4-{[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
2-(4-{[7-(3-chloropropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
2-(4-{[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
2-(4-{[7-(3-chloropropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
2-(4-{[7-(2-chloroethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
2-(4-{[7-(2-chloroethoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-(4-{[7-(2,2-dimethoxyethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

4-{[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino}-1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazole-3-carboxamide;

ethyl 4-{[7-(3-chloropropoxy)quinazolin-4-yl]amino}-1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazole-3-carboxylate;

2-(3-(acetylamino)-4-{[7-(3-chloropropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-[4-(quinazolin-4-ylamino)-1*H*-pyrazol-1-yl]acetamide;

2-(4-{[7-(3-chloropropoxy)-5-isopropoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;

2-(4-{[7-(3-chloropropoxy)-5-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;

2-(4-{[7-(3-chloropropoxy)-6-fluoroquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;

2-(4-{[7-(3-chloropropoxy)-6-fluoroquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-(4-{[6-methoxy-7-(3-piperidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

N-(3-fluorophenyl)-2-(4-{[6-methoxy-7-(3-pyrrolidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

2-[4-({7-[3-(diethylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-(4-{[6-methoxy-7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-[4-({7-[3-(cyclopropylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;
2-{4-[(7-{3-[[2-(dimethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
N-(3-fluorophenyl)-2-[4-({6-methoxy-7-[3-(4-methylpiperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-[4-({7-[3-(4-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
2-{4-[(7-{3-[bis(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
2-{4-[(7-{3-[ethyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
2-{4-[(7-{3-[[2-(dimethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[(cyclopropylmethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(prop-2-yn-1-yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[allyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[isobutyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-[4-({7-[3-(3-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[(cyclopropylmethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
2-{4-[(7-{3-[[2-(diethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
2-{4-[(7-{3-[[2-(diethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
N-(3-fluorophenyl)-2-[4-({6-methoxy-7-[3-(4-methyl-1,4-diazepan-1-yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isopropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[cyclopropyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[cyclobutyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
2-{4-[(7-{3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
2-{4-[(7-{3-[(cyclobutylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(prop-2-yn-1-yl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[allyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
2-{4-[(7-{3-[(2,2-dimethylpropyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(3,3,3-trifluoropropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-(4-{[7-(3-azetidin-1-ylpropoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
2-{4-[(6,7-dimethoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
N-(3-fluorophenyl)-2-{4-[(7-hydroxy-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-[4-({7-[3-(dimethylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-(4-{[6-methoxy-7-(3-piperidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
N-(2,3-difluorophenyl)-2-(4-{[6-methoxy-7-(3-pyrrolidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
N-(2,3-difluorophenyl)-2-(4-{[6-methoxy-7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide
2-[4-({7-[3-(cyclopropylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[[2-(dimethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-[4-({6-methoxy-7-[3-(4-methylpiperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-[4-({7-[3-(4-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
2-{4-[(7-{3-[bis(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[[2-(dimethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[(cyclopropylmethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(prop-2-yn-1-yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[isobutyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-[4-({7-[3-(3-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[(cyclopropylmethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
2-{4-[(7-{3-[[2-(diethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{3-[[2-(diethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-[4-({6-methoxy-7-[3-(4-methyl-1,4-diazepan-1-yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isopropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[cyclopropyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[cyclobutyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
2-{4-[(7-{3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
2-{4-[(7-{3-[(cyclobutylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(prop-2-yn-1-yl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[allyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2,2-dimethylpropyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(3,3,3-trifluoropropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(2-{4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}ethoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[2-(hydroxymethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxy-1,1-dimethylethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(2-hydroxyethyl)piperazin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(*trans*-4-hydroxycyclohexyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[3-(hydroxymethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(2-{[1-(hydroxymethyl)cyclopentyl]amino}ethoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(3-hydroxypropyl)piperazin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{2-[cyclohexyl(2-hydroxyethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)(propyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3-hydroxy-2,2-diethylpropyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-[4-({6-methoxy-7-[2-(tetrahydro-2*H*-pyran-4-ylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
2-{4-[(7-{2-[cyclobutyl(2-hydroxyethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)(tetrahydro-2*H*-pyran-4-yl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*R*)-2-(2-hydroxyethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*S*)-2-(2-hydroxyethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[cyclopentyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-1,1-dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[(2-cyanoethyl)(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(3-morpholin-4-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-2,2-dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxypropyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(3-hydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)-3-oxopiperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-[4-({7-[3-(propylamino)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[glycoloyl(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-[4-({7-[3-(4-glycoloylpiperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-(4-{[7-(3-{[*trans*-2-(hydroxymethyl)cyclohexyl]amino}propoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(1α,5α,6α)-6-(hydroxymethyl)-3-azabicyclo[3.1.0]hex-3-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-(4-{[7-(3-{[(2*R*)-2-hydroxypropyl]amino}propoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

N-(2,3-difluorophenyl)-2-(4-{[7-(3-{[(1*S*)-2-hydroxy-1-methylethyl]amino}propoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxy-1,1-dimethylethyl)amino]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2,3-dihydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-(4-{[7-(3-{[2-(2-hydroxyethoxy)ethyl]amino}propoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;

2-[4-({7-[3-(4-acetylpiperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]-N-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(tetrahydrofuran-2-ylmethyl)amino]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

2-[4-({7-[3-(allylamino)propoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]-N-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-(4-{[7-(3-{[1-(hydroxymethyl)-2-methylpropyl]amino}propoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;

N-(2,3-difluorophenyl)-2-(4-{[7-(3-{[(5-methylisoxazol-3-yl)methyl]amino}propoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;

N-(2,3-difluorophenyl)-2-[4-({7-[3-(tetrahydro-2H-pyran-4-ylamino)propoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3S)-3-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-(4-{[7-(3-hydroxypropoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;

2-(4-{[7-(3-aminopropoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)-N-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2S,4R)-4-hydroxy-2-(hydroxymethyl)pyrrolidin-1-l]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3-hydroxy-2,2-dimethylpropyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{2-[cyclohexyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-[4-({7-[2-(cyclopropylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

2-[4-({7-[2-(cyclobutylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-[4-({7-[2-(tetrahydro-2*H*-pyran-4-ylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

2-[4-({7-[2-(cyclopentylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)(tetrahydro-2*H*-pyran-4-yl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{2-[cyclopentyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{2-[cyclopropyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{2-[cyclobutyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{2-[cyclopentyl(3-hydroxypropyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{2-[cyclopentyl(glycoloyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3*S*)-3-(hydroxymethyl)-4-methylpiperazin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*R*)-2-(hydroxymethyl)-4-methylpiperazin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(hydroxymethyl)piperidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(2-hydroxyethyl)piperidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(2-{[*trans*-2-(hydroxymethyl)cyclohexyl]amino}ethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(3-pyrrolidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(tetrahydro-2H-pyran-4-yl)amino]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2R)-2-(2-hydroxyethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2S)-2-(2-hydroxyethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3S)-3-(hydroxymethyl)-4-methylpiperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2R)-2-(hydroxymethyl)morpholin-4-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3S)-3-(hydroxymethyl)morpholin-4-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-[4-({7-[3-(glycoloylamino)propoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-1,1-dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(tetrahydrofuran-3-yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-(4-{[7-(3-morpholin-4-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
N-(3-fluorophenyl)-2-[4-({7-[(2*S*)-pyrrolidin-2-ylmethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{[(2*S*)-1-(2-hydroxyethyl)pyrrolidin-2-yl]methoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{[(2*S*)-1-glycoloylpyrrolidin-2-yl]methoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-(4-{[7-(pyrrolidin-3-ylmethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{[1-(2-hydroxyethyl)pyrrolidin-3-yl]methoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-[4-({7-[(1-glycoloylpyrrolidin-3-yl)methoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-hydroxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2-~~F~~fluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide
2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2-fluorophenyl)acetamide;
2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-phenylacetamide;
2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-phenylacetamide;
N-(2,6-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
2-{4-[(7-{3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy}-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(6-fluoro-7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(6-fluoro-7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[cyclopentyl(2-hydroxyethyl)amino]propoxy}-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
2-{4-[(7-{3-[bis(2-hydroxyethyl)amino]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-(4-{[5-isopropoxy-7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)amino]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-[4-({7-[3-(4-glycoloylpiperazin-1-yl)propoxy]-5-isopropoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-5-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(5,7-dimethoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(5-hydroxy-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-[4-({7-methoxy-5-[(2*R*)-pyrrolidin-2-ylmethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-{4-[(5-{[(2*R*)-1-glycoloylpyrrolidin-2-yl]methoxy}-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(5-{[(2*R*)-1-(*N*,*N*-dimethylglycyl)pyrrolidin-2-yl]methoxy}-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(5-{[(2*R*)-1-(2-hydroxyethyl)pyrrolidin-2-yl]methoxy}-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(5-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(5-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-(4-{[7-methoxy-6-(3-morpholin-4-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
N-(3-fluorophenyl)-2-[4-({7-methoxy-6-[(1-methylpyrrolidin-3-yl)oxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
N-(3-fluorophenyl)-2-(4-{[7-methoxy-6-(2-morpholin-4-ylethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
2-(4-{[6,7-bis(2-methoxyethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
N-(3-fluorophenyl)-2-{4-[(6-hydroxy-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

4-((1-(2-((2,3-difluorophenyl)amino)-2-oxoethyl)-1*H*-pyrazol-4-yl)amino)-7-((1-methylpiperidn-4-yl)methoxy)quinazolin-6-yl benzoate;
N-(2,3-difluorophenyl)-2-(4-((6-hydroxy-7-((1-methylpiperidin-4-yl)methoxy)quinazolin-4-yl)amino)-1*H*-pyrazol-1-yl)acetamide;
1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazole-3-carboxamide;
1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazole-3-carboxamide;
2-{3-(acetylamino)-4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
ethyl 1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazole-3-carboxylate; and
1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazole-3-carboxylic acid;
or a salt or ester thereof.

17. (original) A compound of formula (IA) selected from:
2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;
{(2*S*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
{(2*S*)-1-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
2-{ethyl[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;
{(2*R*)-1-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate;
{(2*S*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;

{(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
{(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](ethyl)amino]ethyl dihydrogen phosphate;
2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;
2-{cyclobutyl[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;
2-{cyclobutyl[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;
2-[[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate;
2-[[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;
2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]piperazin-1-yl}ethyl dihydrogen phosphate;
2-{ethyl[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;
2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](ethyl)amino]ethyl dihydrogen phosphate;
3-{[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}-3-methylbutyl dihydrogen phosphate;
3-{[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}-3-methylbutyl dihydrogen phosphate;
{(2*R*)-1-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
2-{4-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]piperazin-1-yl}ethyl dihydrogen phosphate
3-{[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}propyl dihydrogen phosphate;

2-{[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;
2-[[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate;
3-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](ethyl)amino]propyl dihydrogen phosphate;
3-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]propyl dihydrogen phosphate;
2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]-2-oxoethyl dihydrogen phosphate;
2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]piperazin-1-yl}-2-oxoethyl dihydrogen phosphate;
{(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-fluoroquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
4-((1-(2-((2,3-difluorophenyl)amino)-2-oxoethyl)-1*H*-pyrazol-4-yl)amino)-7-((1-methylpiperidin-4-yl)methoxy)quinazolin-6-yl dihydrogen phosphate;
{(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-isopropoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-isopropoxyquinazolin-7-yl}oxy)propyl]piperazin-1-yl}ethyl dihydrogen phosphate;
2-{[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-isopropoxyquinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;
{(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
{(2*R*)-1-[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)ethyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
{(2*S*)-1-[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)ethyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
2-[[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)ethyl](tetrahydro-2*H*-pyran-4-yl)amino]ethyl dihydrogen phosphate;
2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]qinazolin-7-yl}oxy)propyl]-2-oxopiperazin-1-yl}ethyl dihydrogen phosphate; and

2-[[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)ethyl](tetrahydro-2*H*-pyran-4-yl)amino]ethyl dihydrogen phosphate;
or a salt or ester thereof.

18-21. (Previously cancelled)

22. (Previously presented) A pharmaceutical composition comprising a compound according to claim 1, or a pharmaceutically acceptable salt or ester thereof, in association with a pharmaceutically acceptable diluent or carrier.

23. (Previously cancelled)

24. (Previously presented) A process for the preparation of a compound according to claim 1 or a pharmaceutically acceptable salt or ester thereof, which process comprises reacting a compound of formula (II)



(II)

where L is a suitable leaving group and R^1, R^2, R^3, R^4 are as defined in claim 1 with a compound of formula (III)



(III)

wherein R^5 and R^{19} are as defined in claim 1

in the presence of hydrochloric acid in dioxane under an inert atmosphere,

and thereafter if necessary:

i) removing any protecting groups; and/or

ii) forming a salt or ester thereof.

25. (Currently amended) A process for the preparation of a compound according to formula (IA) ~~claim 2~~ or a pharmaceutically acceptable salt thereof, which process comprises phosphorylation of a compound ~~according to claim 1,~~ of formula (I)



or a salt or ester thereof;

where:

X is O or NR^6;

R^6 is hydrogen or C_{1-4}alkyl;

R^1 is hydrogen, halo, or $–X^1R^{11}$;

X^1 is a direct bond, $-CH_2=CH_2-$, -O-, -NH-, $–N(C_{1-6}alkyl)-$, -C(O)-, -C(O)O-, -OC(O)-, -NHC(O)-, $-N(C_{1-6}alkyl)C(O)-$, -C(O)NH- or $-C(O)N(C_{1-6}alkyl)-$;

R^{11} is hydrogen, or a group selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkenyl, heterocyclyl, heterocyclylC_{1-4}alkyl, heterocyclylC_{2-4}alkenyl and heterocyclylC_{2-4}alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from halo, hydroxy, C_{1-4}alkoxy, hydroxyC_{1-4}alkyl, $–NR^9R^{10}$, $-C(O)R^9$, $-C(O)NR^9R^{10}$ and $-C(O)OR^9$;

R^2 is hydrogen, halo, nitro, cyano or $–X^2R^{12}$;

X^2 is a direct bond, -O-, -NH-, $–N(C_{1-6}alkyl)-$, -OC(O)- or –C(O)O-;

R^{12} is hydrogen, or a group selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkenyl, aryl, arylC_{1-4}alkyl, arylC_{2-4}alkenyl, arylC_{2-4}alkynyl, heterocyclyl, heterocyclylC_{1-4}alkyl, heterocyclylC_{2-4}alkenyl and heterocyclylC_{2-4}alkynyl, which group is optionally substituted by 1, 2 or 3 substituents selected from halo, hydroxy, C_{1-4}alkyl, C_{1-4}alkoxy, $-NR^{15}R^{16}$, $-NHC(O)NR^{15}R^{16}$, $-C(O)R^{15}$ and $-C(O)OR^{15}$;

R^3 is hydrogen, halo or $-X^3R^{13}$;

X^3 is a direct bond, $-CH_2=CH_2-$, -O-, -NH-, $-N(C_{1-6}alkyl)-$, -C(O)-, -C(O)O-, -OC(O)-, -NHC(O)-, $-N(C_{1-6}alkyl)C(O)-$, -C(O)NH- or $-C(O)N(C_{1-6}alkyl)-$;

R^{13} is hydrogen or a group selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkenyl, aryl, arylC_{1-4}alkyl, arylC_{2-4}alkenyl, arylC_{2-4}alkynyl, heterocyclyl, heterocyclylC_{1-4}alkyl, heterocyclylC_{2-4}alkenyl and heterocyclylC_{2-4}alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from $-NR^7R^8$, $-C(O)NR^7R^8$, halo, hydroxy, C_{1-4}alkyl, C_{1-4}alkoxy, hydroxyC_{1-4}alkyl, hydroxyC_{1-4}alkylcarbonyl, C_{1-4}alkylcarbonyl, aminoC_{1-4}alkylcarbonyl, C_{1-4}alkylaminoC_{1-4}alkylcarbonyl and bis(C_{1-4}alkyl)aminoC_{1-4}alkylcarbonyl;

R^7 and **R^8** are independently selected from hydrogen, heterocyclyl, heterocyclylC_{1-4}alkyl, C_{1-4}alkylheterocyclylC_{1-4}alkyl, C_{1-6}alkyl, hydroxyC_{1-6}alkyl, C_{1-4}alkoxyC_{1-6}alkyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkylC_{1-4}alkyl, hydroxyC_{3-6}cycloalkyl, hydroxyC_{1-4}alkylC_{3-6}cycloalkyl, hydroxyC_{3-6}cycloalkylC_{1-4}alkyl, hydroxyC_{1-4}alkylC_{3-6}cycloalkylC_{1-4}alkyl, C_{1-4}alkoxyC_{3-6}cycloalkyl, C_{1-4}alkoxyC_{3-6}cycloalkylC_{1-4}alkyl, haloC_{1-6}alkyl, haloC_{3-6}cycloalkyl, haloC_{3-6}cycloalkylC_{1-4}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, cyanoC_{1-4}alkyl, aminoC_{1-6}alkyl, C_{1-4}alkylaminoC_{1-6}alkyl, bis(C_{1-4}alkyl)aminoC_{1-6}alkyl, hydroxyC_{1-4}alkoxyC_{1-4}alkyl, hydroxyC_{1-4}alkylcarbonyl, C_{1-4}alkylcarbonyl, aminoC_{1-4}alkylcarbonyl, C_{1-4}alkylaminoC_{1-4}alkylcarbonyl and bis(C_{1-4}alkyl)aminoC_{1-4}alkylcarbonyl;

or **R^7** and **R^8** together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO_2, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C_{1-4}alkyl, hydroxy, C_{1-4}alkoxy, hydroxyC_{1-4}alkyl, C_{1-4}alkoxyC_{1-4}alkyl, hydroxyC_{1-4}alkoxyC_{1-4}alkyl, C_{1-4}alkoxyC_{1-4}alkoxy, hydroxyC_{1-4}alkylcarbonyl, C_{1-4}alkylcarbonyl, aminoC_{1-4}alkylcarbonyl,

C_{1-4}alkylaminoC_{1-4}alkylcarbonyl and bis(C_{1-4}alkyl)aminoC_{1-4}alkylcarbonyl, and where a ring $-CH_2-$ is optionally replaced with –C(O)-;

R^4 is selected from hydrogen, halo or $-X^4R^{14}$;

X^4 is a direct bond, -O-, -NH- or –N(C_{1-6}alkyl)-;

R^{14} is selected from hydrogen, C_{1-6}alkyl, C_{2-6}alkenyl and C_{2-6}alkynyl;

R^5 is aryl or heteroaryl optionally substituted by 1, 2 or 3 substituents independently selected from halo, hydroxy, cyano, nitro, amino, C_{1-4}alkylamino, bis(C_{1-4}alkyl)amino, C_{1-4}alkyl, C_{2-4}alkenyl, C_{2-4}alkynyl, C_{1-4}alkoxy, $-CONHR^{17}$, $-NHCOR^{18}$ $-SR^{17}$, $-S(O)R^{17}$ and $-S(O)OR^{17}$;

R^9, R^{10}, R^{15} and **R^{16}** are independently selected from hydrogen, C_{1-6}alkyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkylC_{1-4}alkyl, hydroxyC_{1-6}alkyl, haloC_{1-6}alkyl, aminoC_{1-6}alkyl, C_{1-4}alkylaminoC_{1-6}alkyl and bis(C_{1-4}alkyl)aminoC_{1-6}alkyl;

or **R^9** and **R^{10}** together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO_2, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C_{1-4}alkyl, hydroxy, C_{1-4}alkoxy, hydroxyC_{1-4}alkyl, C_{1-4}alkoxyC_{1-4}alkyl, hydroxyC_{1-4}alkoxyC_{1-4}alkyl, C_{1-4}alkoxyC_{1-4}alkoxy, hydroxyC_{1-4}alkylcarbonyl, C_{1-4}alkylcarbonyl, aminoC_{1-4}alkylcarbonyl, C_{1-4}alkylaminoC_{1-4}alkylcarbonyl and bis(C_{1-4}alkyl)aminoC_{1-4}alkylcarbonyl, and where a ring $-CH_2-$ is optionally replaced with –C(O)-;

R^{17} and **R^{18}** are independently selected from hydrogen, C_{1-4}alkyl, C_{3-6}cycloalkyl, C_{2-4}alkenyl and C_{2-4}alkynyl;

R^{19} is hydrogen, hydroxyC_{1-4}alkyl, $-C(O)R^{20}$, $-C(O)OR^{20}$, $-CONR^{20}R^{21}$, $-NHC(O)R^{20}$ or $-NHC(O)OR^{20}$;

R^{20} are **R^{21}** are independently selected from hydrogen, C_{1-4}alkyl and aryl

followed by deprotection of the phosphate group to yield a compound ~~according to claim 2~~ of formula (IA)



or salt or ester thereof

where X, X^1, X^2, X^3, R^4, R^5 and R^{19} are as defined in relation to formula (I) and

$R^{1'}$ is hydrogen, halo, or $-X^1R^{11'}$;

$R^{11'}$ is hydrogen, phosphonooxy or a group selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkenyl, heterocyclyl, heterocyclylC_{1-4}alkyl, heterocyclylC_{2-4}alkenyl and heterocyclylC_{2-4}alkynyl which group is optionally substituted by a substituent selected from halo, hydroxy, phosphonooxy, C_{1-4}alkoxy, hydroxyC_{1-4}alkyl, phosphonooxyC_{1-4}alkyl, $-NR^{9'}R^{10'}$, $-C(O)R^{9'}$, $-C(O)NR^{9'}R^{10'}$ and $-C(O)OR^{9'}$;

$R^{2'}$ is hydrogen, halo, nitro, cyano or $-X^2R^{12'}$;

$R^{12'}$ is hydrogen, phosphonooxy or a group selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkenyl, aryl, arylC_{1-4}alkyl, arylC_{2-4}alkenyl, arylC_{2-4}alkynyl, heterocyclyl, heterocyclylC_{1-4}alkyl, heterocyclylC_{2-4}alkenyl and heterocyclylC_{2-4}alkynyl, which group is optionally substituted by 1, 2 or 3 substituents selected from halo, hydroxy, phosphonooxy, C_{1-4}alkyl, C_{1-4}alkoxy, $-NR^{15'}R^{16'}$, $-NHC(O)NR^{15'}R^{16'}$, $-C(O)R^{15'}$ and $-C(O)OR^{15'}$;

$R^{3'}$ is hydrogen, halo or $-X^3R^{13'}$;

$R^{13'}$ is hydrogen, phosphonooxy or a group selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkenyl, aryl, arylC_{1-4}alkyl, arylC_{2-4}alkenyl, arylC_{2-4}alkynyl, heterocyclyl, heterocyclylC_{1-4}alkyl, heterocyclylC_{2-4}alkenyl and heterocyclylC_{2-4}alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from $-NR^{7'}R^{8'}$, $-C(O)NR^{7'}R^{8'}$, halo, hydroxy, phosphonooxy, C_{1-4}alkyl, C_{1-4}alkoxy, hydroxyC_{1-4}alkyl, phosponooxyC_{1-4}alkyl, hydroxyC_{1-4}alkylcarbonyl, phosphonooxyC_{1-4}alkylcarbonyl, C_{1-4}alkylcarbonyl, aminoC_{1-4}alkylcarbonyl, C_{1-4}alkylaminoC_{1-4}alkylcarbonyl and bis(C_{1-4}alkyl)aminoC_{1-4}alkylcarbonyl;

$R^{7'}$ and $R^{8'}$ are independently selected from hydrogen, heterocyclyl, heterocyclylC_{1-4}alkyl, C_{1-4}alkylheterocyclylC_{1-4}alkyl, C_{1-6}alkyl, hydroxyC_{1-6}alkyl, phosphonooxyC_{1-6}alkyl, C_{1-4}alkoxyC_{1-6}alkyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkylC_{1-4}alkyl, hydroxyC_{3-6}cycloalkyl, phosphonooxyC_{3-6}cycloalkyl, hydroxyC_{1-4}alkylC_{3-6}cycloalkyl, phosphonooxyC_{1-4}alkylC_{3-6}cycloalkyl, hydroxyC_{3-6}cycloalkylC_{1-4}alkyl, phosphonooxyC_{3-6}cycloalkylC_{1-4}alkyl, hydroxyC_{1-4}alkylC_{3-6}cycloalkylC_{1-4}alkyl, phosphonooxyC_{1-4}alkylC_{3-6}cycloalkylC_{1-4}alkyl, C_{1-4}alkoxyC_{3-6}cycloalkyl, C_{1-4}alkoxyC_{3-6}cycloalkylC_{1-4}alkyl, haloC_{1-6}alkyl, haloC_{3-6}cycloalkyl, haloC_{3-6}cycloalkylC_{1-4}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, cyanoC_{1-4}alkyl, aminoC_{1-6}alkyl, C_{1-4}alkylaminoC_{1-6}alkyl, bis(C_{1-4}alkyl)aminoC_{1-6}alkyl, hydroxyC_{1-4}alkoxyC_{1-4}alkyl, phosphonooxyC_{1-4}alkoxyC_{1-4}alkyl, hydroxyC_{1-4}alkylcarbonyl, phosphonooxyC_{1-4}alkylcarbonyl, C_{1-4}alkylcarbonyl, aminoC_{1-4}alkylcarbonyl, C_{1-4}alkylaminoC_{1-4}alkylcarbonyl and bis(C_{1-4}alkyl)aminoC_{1-4}alkylcarbonyl;
or $R^{7'}$ and $R^{8'}$ together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO_2, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C_{1-4}alkyl, hydroxy, phosphonooxy, C_{1-4}alkoxy, hydroxyC_{1-4}alkyl, phosphonooxyC_{1-4}alkyl, C_{1-4}alkoxyC_{1-4}alkyl, hydroxyC_{1-4}alkoxyC_{1-4}alkyl, phosphonooxyC_{1-4}alkoxyC_{1-4}alkyl, C_{1-4}alkoxyC_{1-4}alkoxy, hydroxyC_{1-4}alkylcarbonyl, phosphonooxyC_{1-4}alkylcarbonyl, C_{1-4}alkylcarbonyl, aminoC_{1-4}alkylcarbonyl, C_{1-4}alkylaminoC_{1-4}alkylcarbonyl and bis(C_{1-4}alkyl)aminoC_{1-4}alkylcarbonyl, and where a ring $-CH_2-$ is optionally replaced with -C(O)-;
$R^{9'}$, $R^{10'}$, $R^{15'}$ and $R^{16'}$ are independently selected from hydrogen, C_{1-6}alkyl, C_{3-6}cycloalkyl, C_{3-6}cycloalkylC_{1-3}alkyl, hydroxyC_{1-6}alkyl, phosphonooxyC_{1-6}alkyl, haloC_{1-6}alkyl, aminoC_{1-6}alkyl, C_{1-6}alkylaminoC_{1-6}alkyl and bis(C_{1-6}alkyl)aminoC_{1-6}alkyl;
or $R^{9'}$ and $R^{10'}$ together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO_2, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C_{1-4}alkyl, hydroxy, phosphonooxy, C_{1-4}alkoxy, hydroxyC_{1-4}alkyl, phosphonooxyC_{1-4}alkyl, C_{1-4}alkoxyC_{1-4}alkyl, hydroxyC_{1-4}alkoxyC_{1-4}alkyl, phosphonooxyC_{1-4}alkoxyC_{1-4}alkyl, C_{1-4}alkoxyC_{1-4}alkoxy, hydroxyC_{1-4}alkylcarbonyl,

phosphonooxyC_{1-4}alkylcarbonyl, C_{1-4}alkylcarbonyl, aminoC_{1-4}alkylcarbonyl, C_{1-4}alkylaminoC_{1-4}alkylcarbonyl and bis(C_{1-4}alkyl)aminoC_{1-4}alkylcarbonyl, and where a ring $-CH_2-$ is optionally replaced with -C(O)-;
provided that a compound of formula (IA) contains at least one phosphonooxy group.

26. (Previously presented) A method of treating a human suffering from colorectal cancer, comprising the steps of administering to a person in need thereof a therapeutically effective amount of a compound according to claim 1 or a pharmaceutically acceptable salt or ester thereof.